



KANRICH[®]

www.kanrich.com

PH-812_{/2k4} (PH-828_{/2k4}) 2-Wire non-polarity House Model Video doorphone



- House Model, B/W System or Color System
- Video Intercom
- 2-wire, non-polarity system
- Aluminum / Plastic / Stainless Camera
- PH-812/2k4 Max 1 Camera to 3 Monitors
- PH-828/2k4 Max 2 Cameras to 3 Monitors
- Dust protect and water proof cover design of Camera
- 6/12 infrared LEDs let you see clearly at night
- Inter-communication is available

KANRICH®

PH-812/2k4 (PH-828/2k4)

KANRICH®



PH-812C10
Stainless steel
camera



PH-812C12a
Stainless steel
camera




PH-812C12b
Stainless steel
camera



PH-812CAL
Aluminum camera



PH-812C11
plastic camera



PH-812Ma
Monitor

DC15V in



PH-812Mb
Handsfree
Monitor

DC15V in



PH-SubMb
Handsfree
Sub-Monitor

DC15V in

New PH-912 House Model Video doorphone


New PH-912 System

- 4-wire system.
- Max. capacity per house is 4 cameras to 4 monitors, please add camera selector when you install over 2 cameras.
- Color System and B/W system are compatible.
- Designate any monitor call & group call to all monitors are available.
- Designate any monitor announcement & group announcement to all monitors are available.
- Screen switch monitoring all cameras status in monitor or fix to monitor one camera only.
- Non-stop or 3 minutes monitoring.
- Screen switch monitoring, the default value : 2 sec., 3 sec., 4 sec., 5 sec. & 6 sec.depends your requirement.
- The monitoring mode still keep monitoring even someone makes a call from camera to monitor.
- Camera call monitor,if nobody gets the call in monitor side, after 30 sec. the monitor will be off automatically.If someone gets the call, the talking time is 3 min., over 3 min. the screen off automatically.
- A call comes from camera, just one of monitors get the call, the ringing will be stopped immediately.
- There are many modes in this system, monitoring mode, intercom mode & talking mode... etc. All cameras not be used always can call monitors at any mode situation as above. So, you can hear "Ding-Dong" from monitor (or monitors) but the master talking right is controlled by monitor.For example, you install 4 cameras and 4 monitors. The call is from camera #1 and you are talking to camera#1, at the same time, another call from camera #3, you can hear "Ding-Dong" of camera #3 from monitor, but you have right to talk with camera#1 continuously or to get the call from camera#3.
- You can hear "returned ringing tone" on camera when you are pressing camera.
- Panic call from monitor, you can hear the panic ringing in camera, too.
- The dry contact(N.O.) is built in camera for connecting electric door lock.
- The dry contact(N.O.) is built in camera for connecting buzzer.
- Monitor type : handsfree type or dual-purpose(handset & handsfree) type.
- The dry contact is built in monitor for connecting extra panic button.
- If you choose the monitor type with remote function, the remote function as below. Remote function : get a call / open door/ panic button by remote (7" handsfree monitor without remote type.)
- CCTV instead of Camera is available; you can install CCTV x4 pcs as a surveillance system.

KANRICH®


New PH-912

KANRICH®



Building Model

PH-855 Digital Video Doorphone System



- CE approval (PH-855 System)
- Choice of models includes B/W or Color system
- Simple wiring & easy installation
- 4 wires + video cable + 2 power wires
- Stainless steel material and unique backlight keypad in camera, dark automatic auxiliary illumination, let you have a clear view at the dark night.
- Store 500 open door codes in camera and code range from 1-12 digit. You can also store resident's name by English letters.
- European style design. Camera CCD is adjustable.
- Several languages for supporting different countries demand-Portuguese, Polish, Czech, Danish & English.
- Extra Monitor with the 855CC so as the Guard can view all the Visitors
- Utilizing the latest CPU controlled technology and the intelligent interface module such as 855CSD,855VSB and etc to make the system more efficient and easy to operate
- Audio handset (PH-855M3) is also available
- Audio / Video doorbell (PH-855C3) unit
- Group Intercom all monitors in monitor function

KANRICH®

PH-855

KANRICH®



855C5 Keypad aluminum camera 855K2 855C7 Stainless steel camera 855C7 PH-NP Stainless steel camera 855C8 Stainless steel camera 855C9 Stainless steel camera 855C10 Stainless steel camera 855C12a Pinhole camera 855C12b Stainless steel camera 855C3AL aluminum camera 855C3PL Plastic camera 855C15 855K3 Plastic camera



855CSD System distributor



855VSB Video/Signal Booster



855CC Control Center



PH-P6 2.5A power supply



PH-P7 1A switch power supply



855M The Monitor color / B/W Handset



855Ma The Monitor color / B/W Handset/Handsfree



855Mb 3.5" color Monitor Handsfree



855M3 Audio Handset



855Md Audio Handsfree



855Me 4" color/B/W Monitor Handsfree



855Mf 7" color/B/W Monitor Handsfree



855Mg Audio Handsfree

368(286)

Multi-Function Video Doorphone System House and Building model

The features as below :

An intelligent video doorphone system, the operation of control center totally is compatible with Windows system. Max. system capacity : 90 cameras for outdoor station, 4,000 tenants, burglar, alarm & video intercom three-in-one system. Variety modern design provide residents safe and comfortable home life. 368 Multi-Function Video Doorphone System offers residents a wide range of authentication options.

Wire Connection :

- 5 signal wires + 1 video cable(5C2V-128 net braids)
- Video Monitor needs extra power supply. Audio handset no need power supply.
- Just to add one signal wire in system if you need "broadcasting function".

Functions :

- Message Transmitting: Single tenant message and common message for the whole tenants are available through control center. The resident can control the latest movement of community at any time.
- Video & Audio Recording : Instantly video & audio recording when camera is pressed. This function can be carried out 4 cameras together at the same time.
- "R to R" Mode ("tenant to tenant talking" mode) through control center.
- Broadcasting: One tenant broadcasting and common broadcasting for the whole tenants are available through control center.
- No matter single entrance community or multi-entrance community always be available.
- Video doorphone system connect emergency power supply equipment, the video doorphone system still can be operated normally even in emergency status.
- Tenant no. range : from 1-digit to 8-digit is available .
- All tenant no. are inputted in 368DB(distributor box), to change the tenant no. is very easy, no need to tenant's place or return factory. Just do it in 368DB.
- Each tenant can connect 4 video monitors or 4 audio handsets. Door bell is an optional item and also available in the whole system.
- Join to burglar/ alarm system in control center, you can get all resident status through computer.
- Provide different kinds of ringing tones for identifying different purposes.
- Broadcasting :
 - Broadcast for one tenant
 - Broadcast for one block (one area)
 - Broadcast for the whole apartment
 - Easy to adjust broadcasting time, not disturb other residents.

KANRICH®

368 (268)

KANRICH®



368C5 aluminum keypad camera
368K2 keypad camera



368C7 Stainless camera



PH-NP Name Plate



368C8 Stainless camera



368C9 Stainless camera



368C15 Plastic camera
368K3 keypad camera



368C3AL aluminum camera



368C3PL plastic camera



368C11 plastic camera



368CB Control Box



368DB Distributor Box



368CC Security control center



PH-P6 2.5 power supply



PH-P7 1A switch power supply



VB4 Video booster



268Me 4" color/B/W Monitor Handsfree



268Ma 4" color/B/W Monitor



268M3 Audio Handset



S368Mf Burglar 7" color Monitor Handsfree



368Mg Audio Handsfree



S268Me Burglar 4" color / B/W Monitor Handsfree



S368Me Burglar 4" color / B/W Monitor Handsfree



S368Mg Burglar Audio Handsfree

S600 Series

Home burglar system



The features of S600 as follows:

- 7 supervised loops (3 loops of 24hrs loops for gas / fire detector and panic, 4 loops for anti-burglar loops) in system; the 1st anti-burglar loop can be made a delayed set and a switch for starting the system.
- It can be set the delay time of arm/dis-arm separately, the setting time as 30/40/50/60/70/80/90/100/120 sec. And before 15/10/5 sec. of reach the dis-arm time, internal sounder will sound for reminding entry delay.
- Arm / dis-arm anti-burglar system can be controlled by password/ remote controller/all kinds of card reader machines for controlling, you can choose one of them to arm / dis-arming anti-burglar system.
- The "arming anti-burglar system" to clear alert system, its intelligent design fully protect your password. You can setting the the Password from 1 digit to 8 digits.
- In case of evildoer forces you to dis-arm anti-burglar system, the "anti-forced function" can help you sending a SOS message to guard.
- The "Wireless Panic function" (optional function) can help your aged parents when they meet urgent status. Wear a remote control, pressing panic button immediately on remote controller when they meet any emergency inside the house. At the same time, S600 will send an alarm sound and a SOS message to guard room. Let guard helps them in time.
- "Arming at home": A human function; arbitrarily choose anti-burglar loops as alert system from 4 loops.
- "Mute": An intelligent design, the "mute" key will lose its function while the system is going to alert system for preventing evildoer invade your house and switch off sound.
- "Visitor notice": To start or no start as your choice.
- "S600" has doorbell function; just connect the wire of doorbell to "S600"
- 3 kinds of alarm sounds for choosing, you can set different alarm sound as on behalf of different status.
- Output way: by RS485, by dry contact or KANRICH own system.
- Output: (optional function) external siren, external emergency battery & the DC12V power supply for PIR, we prepare these functions for use in advance.

KANRICH®



S600 Series

KANRICH®



KVM-301/MVR-302

64 Picture Memory/Smart Digit Video Recorder



KVM-301

- High resolution image to record visitor's image up to 64 pictures under your absence. 64 single pictures stored in memory.
- You can review the visitor's image and time
- Working with black & white system.
- Surface mounting combined type with monitor of PH-855/S-913 system.

MVR-302

- The video of "640x480" or "320x240" format(include audio) is available to store, it is the newest format, small in size and big in capacity, high resolution picture, you can play the video on the monitor directly or extract SD card and play it on PC in Media Player.
- storage : SD card or MMC card
- Screen on : recording, screen off : stop recording
- edit / delete / recall...etc.
- "320x240" format video approx. 20 min. and "640x480" format video approx. 6 min. in 128Mb SD card
- New video data will cover old video data automatically after recording is full.
- Language : Portuguese, Dutch, Simple Chinese, Traditional Chinese, Japanese, Korean, English, French, Italian, Spanish...and so on , 11 languages.
- You can format SD card(MMC card) on MVR-302 directly.

KANRICH®

INDEX

KANRICH®

PH-812_{2x4}
(PH-828_{2x4})



PH-812C10
Stainless steel
camera



PH-812C12a
Stainless steel
camera



PH-812C12b
Stainless steel
camera



PH-812CAL
Aluminum camera



PH-812C11
plastic camera



PH-812Ma
Monitor



PH-812Mb
Handsfree
Monitor



PH-SubMb
Handsfree
Sub-Monitor

New PH-912



PH-912C12a
Pinhole stainless
steel camera



PH-912C12b
stainless steel
camera



PH-912CAL
Aluminum camera



PH-912CPL
Plastic camera



PH-912C11
plastic camera



PH-912CSD
Camera Selected
Distributor



CCTV controller



PH-912Mb
Monitor
handsfree type



PH-912Mg
Audio HandsFree



PH-912Mf
7" handsfree color Monitor



PH-912Me
4" handsfree monitor



PH-912Ma
Monitor
handset & handsfree type

S600Series



INDEX

KANRICH®

PH-855



855C5 aluminum keypad camera
855K2 keypad camera



855C7 stainless steel camera



855C7 PH-NP stainless steel camera



855C8 stainless steel camera



855C9 stainless steel camera



855C10 stainless steel camera



855C12a pinhole camera



855C12b stainless steel camera



855C3AL aluminum camera



855C3PL plastic camera



855C15 plastic camera



855CSD system distributor



855VSB video/signal booster



855CC control center



PH-P6 2.5A power supply



PH-P7 1A switch power supply



855M The Monitor color / B/W Handset



855Ma The Monitor color / B/W Handset/Handsfree



855Mb 3.5" color Monitor Handsfree



855M3 Audio Handset



855Md Audio Handsfree



855Me 4" color/B/W Monitor Handsfree



855Mf 8" color/B/W Monitor Handsfree



855Ma HandsFree Audio Handset

368



368C5 aluminum keypad camera
368K2 keypad camera



368C7 stainless steel camera



PH-NP Name Plate



368C8 stainless camera



368C9 stainless camera



368C15 368K3 plastic camera



368C3AL aluminum camera



368C3PL plastic camera



368 C11 plastic camera



368CB Control Box



368DB Distributor Box



VB4 Video booster



368CC security control center



PH-P6 2.5 power supply



PH-P7 1A switch power supply



268Me 4" color/B/W Monitor Handsfree



268Ma 4" color/B/W Monitor



268M3 Audio Handset



S368Mf Burglar 7" color Monitor Handsfree



368Mg Audio Handsfree



S268Me Burglar 4" color / B/W Monitor Handsfree



S368Me Burglar 4" color / B/W Monitor Handsfree



S368Mg Burglar Audio Handsfree



KANRICH is an experienced professional designer and manufacturer of Color, B/W video, CCTV Camera, Alarm, Burglar, Video doorphone system for Building Model, House Model, Apartment Model. Our products are sold in over 50 countries.


KANRICH reliability is now well-established with international safety approvals.

As one of the leading manufacturers of Security / Video Doorphone in Taiwan, we, Kanrich Electronic Corp. are proud to introduce our current products range. As we don't have any min. q'ty request, you can buy set of sample(s) for testing in order to understand Kanrich's products.

Please advise which model you are more interested in, we will send you price list very soon. The very special prices will be followed right away if you place an order.

Meanwhile, if there's any further question and/or assistance needed from Kanrich, please feel free to let us know at your earliest convenience.

KANRICH[®]



KANRICH®



www.kanrich.com